

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1335	382/239.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
L2	358	375/240.02.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S35	235	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16
S36	77	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16
S37	68	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:17
S38	31	filter\$4 near5 no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26
S39	46	kernel with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26

EAST Search History

S40	62	kernel with (edge or contour or border or boundar\$4) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:38
S41	3	kernel with (edge or contour or border or boundar\$4)with (weight\$4 or coefficient) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:39
S42	119	(edge or contour or border or boundar\$4)with (weight\$4 or coefficient)with zero and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:40
S43	13	(edge or contour or border or boundar\$4)with (weight\$4)with zero and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S44	122	(edge or contour or border or boundar\$4)same (weight\$4) with filter\$4 and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S45	9	(edge or contour or border or boundar\$4)same (weight\$4) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:42
S46	82	(edge or contour or border or boundar\$4)and (weight\$4) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43

EAST Search History

S47	9	(edge or contour or border or boundar\$4)same (weight\$4) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43
S48	46	(edge or contour or border or boundar\$4)same (weight\$4) with filter\$4 with (zero or "0") and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:01
S49	91	(edge or contour or border or boundar\$4)with convolution and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:03
S50	3	(edge or contour or border or boundar\$4)with convolution with (around or along or perimeter) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S51	7	(edge or contour or border or boundar\$4)with convolution with (range or area or region) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S52	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S53	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13

EAST Search History

S54	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior or outside) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S55	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior or outside or object) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14
S56	15	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14
S57	15	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object with pixel) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:15
S58	34	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object or pixel) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:16
S59	101	(edge or contour or border or boundar\$4)with (convolution or kernel or filter\$4) with (exterior or outside or inside or interior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:41
S60	27	(object)with (convolution or kernel or filter\$4) with (exterior or outside or inside or interior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:42

EAST Search History

S61	19586	(wavelet or pyramid or decompos\$5) with filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S62	308	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S63	434	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S64	435	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border\$4 or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:13
S65	298	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border\$4 or boundar\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S66	0	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border\$4 or boundar\$4) with (straddl\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S67	7	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border\$4 or boundar\$4) with (follow\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15

EAST Search History

S68	298	(wavelet or pyramid or decompos\$5) with filter\$4 with (edge or contour or border\$4 or boundar\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15
S69	1	("6539060").PN.	USPAT	OR	OFF	2007/08/29 12:23
S70	1	("5877813").PN.	USPAT	OR	OFF	2007/08/29 12:25
S71	1120	orthogonal with wavelet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:25
S72	848	orthogonal with wavelet and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:28
S73	196	orthogonal with wavelet and (encod\$4 or compress\$4) and filter\$4 with (edge or contour or border\$4 or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:31
S74	134	orthogonal with wavelet and (encod\$4 or compress\$4) and filter\$4 with (edge or contour or border\$4 or boundar\$4)and wavelet with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:52
S75	1	("20030012406").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/29 13:52
S76	12	quantization adj factor with "h.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30

EAST Search History

S77	254	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S78	254	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:33
S79	129	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border) same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:37
S80	70	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:13
S81	125	filter\$4 with weight\$4 same averag\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S82	1	("6305805").PN.	USPAT	OR	OFF	2007/08/30 11:20
S83	17	weight\$4 near5 averag\$4 adj10 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:32
S84	13	weight\$4 near5 averag\$4 adj10 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35

EAST Search History

S85	14	weight\$4 near5 averag\$4 adj20 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S86	14	weight\$4 near5 averag\$4 adj100 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S87	14	weight\$4 near5 averag\$4 adj200 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S88	434	weight\$4 near5 averag\$4 adj200 filter\$4 and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S89	1711	weight\$4 near5 averag\$4 same filter\$4 and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S90	93	weight\$4 near5 averag\$4 same filter\$4 same (edge or contour) and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:32
S91	959	replac\$4 with (coefficient or weight) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:34

EAST Search History

S92	322	replac\$4 with (coefficient or weight) with filter and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S93	0	replac\$4 with (coefficient or weight) with filter same renormalization and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S94	1	replac\$4 with (coefficient or weight) with filter same normalization and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S95	322	replac\$4 with (coefficient or weight) with filter and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:36
S96	17	replac\$4 with (coefficient or weight) with filter with (averag\$4 or median or mean or statistic\$2) and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:44


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((((((transform*)<in>metadata))<and>(encod* or compress*<in>metadata)))<and>g..."

☒ e-mail

Your search matched 14 of 78 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Adaptive Blocking Artifacts Reduction Algorithm Based on DCT-Domain**
 Wei-Bin Zhao; Yu-Shan Zhang; Zhi-Heng Zhou;
[Machine Learning and Cybernetics, 2006 International Conference on](#)
 Aug. 2006 Page(s):3909 - 3913
 Digital Object Identifier 10.1109/ICMLC.2006.258744
[AbstractPlus](#) | Full Text: [PDF](#)(1243 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Combined morphological-spectral unsupervised image segmentation**
 O'Callaghan, R.J.; Bull, D.R.;
[Image Processing, IEEE Transactions on](#)
 Volume 14, Issue 1, Jan. 2005 Page(s):49 - 62
 Digital Object Identifier 10.1109/TIP.2004.838695
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(3192 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **High temperature superconductive wideband compressive receivers**
 Lyons, W.G.; Arsenault, D.R.; Anderson, A.C.; Sollner, T.C.L.G.; Murphy, P.G.
 Boisvert, R.R.; Slattery, R.L.; Ralston, R.W.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
 Volume 44, Issue 7, Part 2, July 1996 Page(s):1258 - 1278
 Digital Object Identifier 10.1109/22.508231
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2608 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Adaptive predictor based on maximally flat halfband filter in lifting scherr**
 Wen-Jen Ho; Wen-Thong Chang;
[Signal Processing, IEEE Transactions on \[see also Acoustics, Speech, and Sig](#)
[IEEE Transactions on\]](#)
 Volume 47, Issue 11, Nov. 1999 Page(s):2965 - 2977
 Digital Object Identifier 10.1109/78.796432
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(344 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **An Improved Method of Content Based Image Watermarking**
 Parthasarathy, A.K.; Kak, S.;
[Broadcasting, IEEE Transactions on](#)
 Volume 53, Issue 2, June 2007 Page(s):468 - 479